





MODELS	C421C8-512V6
Channels	512
Layers	2
Belt width (mm)	1280
Voltage (V)	220
Power of main machine (KW)	6
Air Pressure (MPa)	0.6~0.8
Dimension(L*W*H)(mm)	3261*2333*2558
Weight (KG)	1400
Structure material	Carbon steel, stainless steel
Type of feeder	Enhanced Vibrator

MODELS A



MODELS	A421C8-512V6
Channels	512
Layers	2
Belt width (mm)	1280
Voltage (V)	220
Power of main machine (KW)	6.5
Air Pressure (MPa)	0.6~0.8
Dimension(L*W*H)(mm)	4193*2454*2176
Weight (KG)	1700
Structure material	Carbon steel、stainless steel
Type of feeder	Vibrator

Leading Brand in Color Sorter

PRODUCT ADVANTAGE

Optical CCD Color Cameras

2048-pixels grade high resolution CCD color cameras improve the removal of color defects and challenging foreign material.

Real-Time Image Display System

Check the real-time images in the PC, effective your parameters setting in the first time.

Belt Structure Contributes to Lower Damage Rate

Transport the material on the belt in horizontal direction, less collision happens, lower damage rate makes.

Belt Structure Leads to Higher Sorting Accuracy

Stable speed transportation on the belt, better cameras detection, more precise foreign material ejection.

S Customized and Optimized Algorithm


Customized the image algorithm according to different material, lower the carryover rate and reduce the unnecessary loss.

6 Durable LED Lighting

Lower power consumption, long-life and durable LED lighting, reduces operational costs.



SORTING DEMONSTRATION



WWW.ZarkanSanat.com Q

SORTING DEMONSTRATION



CASE STUDIES



















